

2026 ICD-10-CM Updates

PRESENTED BY BRENDA EDWARDS
DIRECTOR OF AUDITING

The speaker has no financial relationship to any products or services referenced in this program. The program is intended to be informational only. The speaker is not an authoritative source by law. Attendees are advised to reference payor specific provider manuals, on-line or otherwise, for verification prior to making changes to their coding, documentation and/or billing practices.

Disclaimer

This program is intended to be informational only. Attendees are advised to reference payer specific provider manuals, online or otherwise, for verification prior to making changes to their coding, documentation, and/or billing practices. Attendees are also advised to consult their managers or compliance before making changes to coding practices.

Keep in mind that different payers may have different payment policies. The policies in this presentation represent ICD-10-CM Official Guidelines.

Not all codes, guidelines, or instructional note changes are included in this presentation. It is always recommended that you review the complete guidelines and code set for updates.

DISCLAIMER


Agenda

Introduction with a summary of changes.

2026 ICD-10-CM code set updates along with revisions to guidelines – the codes in this presentation are effective October 1, 2025, but there are also updates on April 1 each

presentation are effective October 1, 2025, but there are also updates on April 1 each

year.





CDC ICD-10-CM Files

https://www.cdc.gov/nchs/icd/icd-10-cm/files.html


CMS ICD-10-CM Files

https://www.cms.gov/medicare/coding-billing/icd-10-codes

ICD-10 Coordination and Maintenance Committee

https://www.cdc.gov/nchs/icd/icd-10-maintenance/index.html

Locating the Addenda Files





Locating the Addenda Files

ICD-10 Files

The FY 2026 code update files are for use with discharges occurring from October 1, 2025 – September 30, 2026, and for patient encounters occurring from October 1, 2025 – September 30, 2026.

2026 ICD-10-CM files

These files include updates for FY 2026. Use these codes for discharges occurring from October 1, 2025 – September 30, 2026, and for patient encounters occurring from October 1, 2025 – September 30, 2026.

- 2026 POA Exempt Codes (ZIP)
- 2026 Conversion Table (ZIP)
- 2026 Code Descriptions in Tabular Order (ZIP)
- 2026 Addendum (ZIP)
- 2026 Code Tables, Tabular and Index (ZIP)
- FY 2026 ICD-10-CM Coding Guidelines (not available yet)



Locating the Addenda Files

ICD-10-CM TABULAR LIST of DISEASES and INJURIES 2026 Addenda

No Change Chapter 1

No Change Certain infectious and parasitic diseases (A00-B99)

No Change Viral hepatitis (B15-B19)

No Change B18 Chronic viral hepatitis

Add Use Additional code, if applicable, for ascites (R18.8)

No Change Pediculosis, acariasis and other infestations (B85-B89)

No Change B88 Other infestations

No Change B88.0 Other acariasis

Delete Acarine dermatitis

Delete Dermatitis due to Demodex species
Delete Dermatitis due to Dermanyssus gallinae
Delete Dermatitis due to Liponyssoides sanguineus

Delete Trombiculosis

Add B88.01 Infestation by Demodex mites

Add Demodex brevis infestation

Add Demodex folliculorum infestation

Presentation Key

Deleted Text/Code

Deleted

Revised Text/Code

Revised

Added Text/Code

Added

Stats

487 new codes
28 deleted codes
38 revised codes
74,719 total codes

Section I.A – Conventions for the ICD-10-CM

I.A.7 Punctuation

, Commas are used in the Alphabetic Index and have different meanings based on the context of the Index entry, including alternate verbiage, modifier (essential and nonessential), or alternative for "and/or."

Section I.B – General Coding Guidelines

I.B.14 Documentation by Clinicians Other than the Patient's Provider

Code assignment is based on the documentation by the patient's provider (i.e., physician or other qualified healthcare practitioner legally accountable for establishing the patient's diagnosis). There are a few exceptions when code assignment may be based on medical record documentation from clinicians who are not the patient's provider (i.e., physician or other qualified healthcare practitioner legally accountable for establishing the patient's diagnosis). In this context, "clinicians" other than the patient's provider refer to healthcare professionals permitted, based on regulatory or accreditation requirements or internal hospital policies, to document in a patient's official medical record.

These exceptions include codes for:

- Body Mass Index (BMI)
- Depth of non-pressure chronic ulcers
- Pressure ulcer stage
- Coma scale
- NIH stroke scale (NIHSS)
- Social determinants of health (SDOH) classified to Chapter 21
- Laterality
- Blood alcohol level
- Underimmunization status
- Firearm injury intent

This information is typically, or may be, documented by other clinicians involved in the care of the patient...

Section I.B – General Coding Guidelines

I.B.20 Multiple Sites Coding

The classification defines "multiple" as involving two or more sites. Follow chapter-specific guidelines for assigning codes for "multiple sites." In the absence of chapter-specific guidelines, assign codes describing specified sites individually when documented. When the specified site(s) are not documented, assign the appropriate code for "multiple sites."

I.C.1.a.2 Selection and sequencing of HIV codes

(a) HIV disease

If the term "AIDS" or "HIV disease" is documented or if the patient is treated for any HIV-related illness or is described as having any condition(s) resulting from the patient's HIV positive status; code B20, Human immunodeficiency virus [HIV], should be assigned.

(b) Patient admitted for HIV-related condition

If a patient is admitted for an HIV-related condition, the principal diagnosis should be B20, Human immunodeficiency virus [HIV] disease followed by additional diagnosis codes for all reported HIV-related conditions.

An exception to this guideline is if the reason for admission is hemolytic-uremic syndrome associated with HIV disease. Assign code D59.31, Infection-associated hemolytic-uremic syndrome, followed by code B20, Human immunodeficiency virus [HIV] disease.

(c) Patient with HIV disease admitted for unrelated condition

If a patient with HIV disease is admitted for an unrelated condition (such as a traumatic injury), the code for the unrelated condition (e.g., the nature of injury code) should be the principal diagnosis. Code B20 would be reported as a secondary diagnosis. Codes for other documented conditions should also be reported as secondary diagnoses.

I.C.1.a.2 Selection and sequencing of HIV codes (continued)

(d) Patient newly diagnosed with HIV disease

Whether the patient is newly diagnosed or has had previous admissions/encounters for HIV conditions is irrelevant to the sequencing decision.

(e) Asymptomatic human immunodeficiency virus

When "HIV positive," "HIV test positive," or similar terminology is documented, and there is no documentation of symptoms or HIV-related illness, code Z21, Asymptomatic human immunodeficiency virus [HIV] infection status, should be assigned.

(f) Inconclusive HIV serology

Patients with documentation of inconclusive HIV serology, may be assigned code R75, Inconclusive laboratory evidence of human immunodeficiency virus [HIV].

(g) Previously diagnosed HIV-related illness

Patients with documentation of a prior diagnosis of an HIV-related illness should be coded to B20. Once an HIV-related illness has developed, code B20 should always be assigned on every subsequent admission/encounter. Patients previously diagnosed with any HIV illness (B20) should never be assigned to R75, Inconclusive laboratory evidence of human immunodeficiency virus [HIV] or Z21, Asymptomatic human immunodeficiency virus [HIV] infection status.

I.C.1.a.2 Selection and sequencing of HIV codes (continued)

(h) HIV Infection in Pregnancy, Childbirth and the Puerperium

When a patient presents during pregnancy, childbirth or the puerperium with documented symptomatic HIV disease or an HIV related illness, assign a code from subcategory O98.7, Human immunodeficiency [HIV] disease complicating pregnancy, childbirth and the puerperium, followed by code B20 and additional code(s) for any HIV-related illness(es). Codes from Chapter 15 always take sequencing priority.

When a patient presents during pregnancy, childbirth or the puerperium with documented asymptomatic HIV infection status or is HIV-positive, assign a code from subcategory O98.7 followed by code Z21.

(i) Encounters for HIV testing

If a patient without signs or symptoms is tested for HIV, assign code Z11.4, Encounter for screening for human immunodeficiency virus [HIV]. Use additional codes for any associated high-risk behavior, if applicable. If a patient with signs or symptoms of HIV presents for HIV testing, code the signs and symptoms. An additional counseling code Z71.7, Human immunodeficiency virus [HIV] counseling, may be assigned if counseling is provided during the encounter for the test. Code Z11.4, Encounter for screening for human immunodeficiency virus [HIV], should not be assigned if HIV signs or symptoms are present.

When a patient presents for follow up regarding their HIV test results and the test result is negative, assign code Z71.7, Human immunodeficiency virus [HIV] counseling.

If the results are positive, see previous guidelines and assign codes as appropriate.

I.C.1.a.2 Selection and sequencing of HIV codes (continued)

(j) HIV disease or HIV positive status managed by antiretroviral medication

If a patient with documented HIV disease, HIV-related illness or AIDS is currently managed on antiretroviral medications, assign code B20, Human immunodeficiency virus [HIV] disease.

If a patient with documented HIV positive status is currently managed on antiretroviral medication, assign code Z21, Asymptomatic human immunodeficiency virus [HIV] infection status, in the absence of any additional documentation of HIV disease, HIV-related illness or AIDS.

Code Z79.899, Other long term (current) drug therapy, may be assigned as an additional code to identify the long-term (current) use of antiretroviral medications.

(k) Encounter for HIV Prophylaxis Measures

When a patient presents for administration of pre-exposure prophylaxis medication for HIV, assign code Z29.81, Encounter for HIV pre-exposure prophylaxis. Pre-exposure prophylaxis (PrEP) is intended to prevent infection in people who are at risk for getting HIV through sex or injection drug use. Any risk factors for HIV should also be coded.

B88.0 Other acariasis

Acarine dermatitis

Dermatitis due to Demodex species

Dermatitis due to Dermanyssus gallinae

Dermatitis due to Liponyssoides sanguineus

Trombiculosis

Excludes2: scabies (B86)

B88.01 Infestation by Demodex mites

Demodex brevis infestation

Demodex folliculorum infestation

Code also, if applicable, eyelid inflammation (H01.8-)

B88.09 Other acariasis

Acarine dermatitis

Dermatitis due to Dermanyssus gallinae

Dermatitis due to Liponyssoides sanguineus

Trombiculosis

Chapter 2: Neoplasms (C00-D49)

I.C.2.e.2 Patient admission/encounter chiefly for administration of antineoplastic chemotherapy, immunotherapy and radiation therapy

If a patient admission/encounter is chiefly for the administration of chemotherapy, immunotherapy or external beam radiation therapy for the treatment of a neoplasm, assign code Z51.0, Encounter for antineoplastic radiation therapy, or Z51.11, Encounter for antineoplastic chemotherapy, or Z51.12, Encounter for antineoplastic immunotherapy as the first-listed or principal diagnosis. If the reason for the encounter is more than one type of antineoplastic therapy, code Z51.0 and codes from subcategory Z51.1 may be assigned together, in which case one of these codes would be reported as a secondary diagnosis.

The malignancy for which the therapy is being administered should be assigned as a secondary diagnosis.

If a patient admission/encounter is for the insertion or implantation of radioactive elements (e.g., brachytherapy) the appropriate code for the malignancy is sequenced as the principal or first-listed diagnosis. Code Z51.0 should not be assigned.

Chapter 2: Neoplasms (C00-D49)

C50 Malignant neoplasms of breast

C50.A Malignant inflammatory neoplasm of breast

Inflammatory breast cancer (IBC)

C50.A0 Malignant inflammatory neoplasm of unspecified breast

C50.A1 Malignant inflammatory neoplasm of right breast

C50.A2 Malignant inflammatory neoplasm of left breast

Chapter 3: Diseases of the blood and blood-forming organs and certain disorders of the immune mechanism (D50-D89)

D71 Functional disorders of polymorphonuclear neutrophils

D71.1 Leukocyte adhesion deficiency

LAD-I

LAD-II

LAD-III

Leukocyte adhesion deficiency type I

Leukocyte adhesion deficiency type II

Leukocyte adhesion deficiency type III

D71.8 Other functional disorders of polymorphonuclear neutrophils

Cell membrane receptor complex [CR3] defect

Chronic (childhood) granulomatous disease

Congenital dysphagocytosis

Progressive septic granulomatosis

D71.9 Functional disorders of polymorphonuclear neutrophils, unspecified

E11 Type 2 diabetes mellitus

E11.9 Type 2 diabetes mellitus without complications

Excludes1: type 2 diabetes mellitus, without complications in remission (E11.A)

E11.A Type 2 diabetes mellitus without complications in remission

Excludes1: type 2 diabetes mellitus, with complications (E11.0-E11.8) type 2 diabetes mellitus, without complications not in remission (E11.9)

I.C.4.a.1.b Type 2 diabetes mellitus in remission

Code E11.A, Type 2 diabetes mellitus without complications in remission, is assigned based on provider documentation that the diabetes mellitus is in remission. If the documentation is unclear as to whether the Type 2 diabetes mellitus has achieved remission, the provider should be queried. For example, the term "resolved" is not synonymous with remission.

E72.5 Disorders of glycine metabolism

E72.53 Primary hyperoxaluria

Excludes1: secondary hyperoxaluria (E72.54-)

E72.530 Primary hyperoxaluria, type 1

E72.538 Other specified primary hyperoxaluria

Primary hyperoxaluria, type 2 Primary hyperoxaluria, type 3

E72.539 Primary hyperoxaluria, unspecified

E72.54 Secondary hyperoxaluria

Excludes1: primary hyperoxaluria (E72.53-)

E72.540 Dietary hyperoxaluria

E72.541 Enteric hyperoxaluria

E72.548 Other secondary hyperoxaluria

E72.549 Secondary hyperoxaluria, unspecified

E78.01 Familial Hypercholesterolemia

E78.010 Homozygous familial hypercholesterolemia [HoFH]

E78.011 Heterozygous familial hypercholesterolemia [HeFH]

E78.019 Familial hypercholesterolemia, unspecified

Familial hypercholesterolemia NOS

E83.8 Other disorders of mineral metabolism

E83.82 Disorders of pyrophosphate metabolism

E83.820 Generalized arterial calcification of infancy with unspecified genetic causality

Code also, if applicable, associated conditions such as:

heart failure (I50.-)

other secondary hypertension (I15.8)

E83.821 ENPP1 deficiency causing generalized arterial calcification of infancy

Code also, if applicable, associated conditions such as:

heart failure (I50.-)

other secondary hypertension (I15.8)

E83.822 ENPP1 deficiency causing autosomal recessive hypophosphatemic rickets type 2

E83.823 ABCC6 deficiency causing generalized arterial calcification of infancy

Code also, if applicable, associated conditions such as:

heart failure (I50.-)

other secondary hypertension (I15.8)

E83.824 ABCC6 deficiency causing pseudoxanthoma elasticum

E83.825 CD73 deficiency causing arterial calcification

E88.1 Lipodystrophy, not elsewhere classified

E88.10 Lipodystrophy, unspecified

Lipodystrophy NOS

E88.11 Partial lipodystrophy

Acquired partial lipodystrophy (APL) Barraquer-Simons lipodystrophy Familial partial lipodystrophy (FPLD)

E88.12 Generalized lipodystrophy

Acquired generalized lipodystrophy (AGL) Berardinelli-Siep syndrome Congenital generalized lipodystrophy (CGL) Lawrence syndrome

E88.13 Localized lipodystrophy

Injection lipodystrophy Insulin lipodystrophy

E88.14 HIV-associated lipodystrophy

Code first any human immunodeficiency virus [HIV] disease (B20) Use Additional code for adverse effect, if applicable, to identify drug (T37.5X5-)

E88.19 Other lipodystrophy, not elsewhere classified

Chapter 8: Diseases of the ear and mastoid process (H60-H95)

No added or deleted codes

No chapter specific guideline revisions

No revisions to instructional notes

Chapter 9: Diseases of the circulatory system (100-199)

I.9.a.1 Hypertension with Heart Disease

Hypertension with heart conditions classified to I50.-, Heart failure, I51.4, Myocarditis, unspecified, I51.89, Other ill-defined heart diseases, and I51.9, Heart disease, unspecified, is assigned to a code from category I11, Hypertensive heart disease. Use additional code(s) from category I50, Heart failure, or I51, Complications and ill-defined descriptions of heart disease, to identify the heart condition.

Hypertension with heart conditions classified to I51.5, Myocardial degeneration, or I51.7, Cardiomegaly, is assigned to a code from category I11, Hypertensive heart disease. No additional code is assigned to identify the specific heart condition.

The same heart conditions (I50.-, I51.4-I51.7, I51.89, I51.9) with hypertension are coded separately if the provider has documented they are unrelated to the hypertension. The applicable hypertension code I10, Essential (primary) hypertension, or a code from category I15, Secondary hypertension, should be assigned. Sequence according to the circumstances of the admission/encounter.

Chapter 9: Diseases of the circulatory system (I00-I99)

I.9.a.3 Hypertensive Heart and Chronic Kidney Disease

The codes in category I13, Hypertensive heart and chronic kidney disease, are combination codes that include hypertension, heart disease and chronic kidney disease. Assign codes from combination category I13, Hypertensive heart and chronic kidney disease, when there is hypertension with both heart and chronic kidney disease. If heart failure is present, assign an additional code from category I50 to identify the type of heart failure.

The appropriate code from category N18, Chronic kidney disease, should be used as a secondary code with a code from category I13 to identify the stage of chronic kidney disease.

See Section I.C.14. Chronic kidney disease.

The Includes note at I13 specifies that the conditions included at I11 and I12 are included together in I13. If a patient has hypertension, heart disease and chronic kidney disease, then a code from I13 should be used, not codes from I11 or I12,

For patients with both acute renal failure and chronic kidney disease, the acute renal failure should also be coded. Sequence according to the circumstances of the admission/encounter.

Chapter 9: Diseases of the circulatory system (100-199)

127.8 Other specified pulmonary heart diseases

127.84 Fontan related circulation

127.840 Fontan-associated liver disease [FALD]

127.841 Fontan-associated lymphatic dysfunction

Code also associated conditions such as:

chylothorax (J94.0)

Fontan associated protein-losing enteropathy (K90.89)

plastic (obstructive) bronchitis (J44.89)

127.848 Other Fontan-associated condition

Use Additional code to specify the Fontan associated condition

127.849 Fontan related circulation, unspecified

Chapter 10: Diseases of the respiratory system (J00-J99)

No added or deleted codes

No chapter specific guideline revisions

Some revisions to instructional notes

Chapter 11: Diseases of the digestive system (K00-K95)

No added or deleted codes

No chapter specific guideline revisions

Some revisions to instructional notes

Chapter 12: Diseases of the skin and subcutaneous tissue (L00-L99)

L02.2 Cutaneous abscess, furuncle and carbuncle of trunk

L02.21 Cutaneous abscess of trunk

L02.212 Cutaneous abscess of back [any part, except buttock and flank]

L02.217 Cutaneous abscess of flank

L02.22 Furuncle of trunk

L02.222 Furuncle of back [any part, except buttock and flank]

L02.227 Furuncle of flank

Chapter 12: Diseases of the skin and subcutaneous tissue (L00-L99)

L03.3 Cellulitis and acute lymphangitis of trunk

L03.31 Cellulitis of trunk

L03.31A Cellulitis of flank

L03.32 Acute lymphangitis of trunk

L03.32A Acute lymphangitis of flank

Chapter 12: Diseases of the skin and subcutaneous tissue (L00-L99)

L98.4 Non-pressure chronic ulcer of skin, not elsewhere classified

L98.43 Non-pressure chronic ulcer of abdomen L98.431 Non-pressure chronic ulcer of abdomen limited to breakdown of skin L98.432 Non-pressure chronic ulcer of abdomen with fat layer exposed L98.433 Non-pressure chronic ulcer of abdomen with necrosis of muscle L98.434 Non-pressure chronic ulcer of abdomen with necrosis of bone L98.435 Non-pressure chronic ulcer of abdomen with muscle involvement without evidence of necrosis L98.436 Non-pressure chronic ulcer of abdomen with bone involvement without evidence of necrosis L98.438 Non-pressure chronic ulcer of abdomen with other specified severity L98.439 Non-pressure chronic ulcer of abdomen with unspecified severity L98.44 Non-pressure chronic ulcer of chest L98.441 Non-pressure chronic ulcer of chest limited to breakdown of skin L98.442 Non-pressure chronic ulcer of chest with fat layer exposed L98.443 Non-pressure chronic ulcer of chest with necrosis of muscle L98.444 Non-pressure chronic ulcer of chest with necrosis of bone L98.445 Non-pressure chronic ulcer of chest with muscle involvement without evidence of necrosis L98.446 Non-pressure chronic ulcer of chest with bone involvement without evidence of necrosis L98.448 Non-pressure chronic ulcer of chest with other specified severity L98.449 Non-pressure chronic ulcer of chest with unspecified severity

L98.4 Non-pressure chronic ulcer of skin, not elsewhere classified (continued)

L98.45 Non-pressure chronic ulcer of neck L98.451 Non-pressure chronic ulcer of neck limited to breakdown of skin L98.452 Non-pressure chronic ulcer of neck with fat layer exposed L98.453 Non-pressure chronic ulcer of neck with necrosis of muscle L98.454 Non-pressure chronic ulcer of neck with necrosis of bone L98.455 Non-pressure chronic ulcer of neck with muscle involvement without evidence of necrosis L98.456 Non-pressure chronic ulcer of neck with bone involvement without evidence of necrosis L98.458 Non-pressure chronic ulcer of neck with other specified severity L98.459 Non-pressure chronic ulcer of neck with unspecified severity L98.46 Non-pressure chronic ulcer of face L98.461 Non-pressure chronic ulcer of face limited to breakdown of skin L98.462 Non-pressure chronic ulcer of face with fat layer exposed L98.463 Non-pressure chronic ulcer of face with necrosis of muscle L98.464 Non-pressure chronic ulcer of face with necrosis of bone L98.465 Non-pressure chronic ulcer of face with muscle involvement without evidence of necrosis L98.466 Non-pressure chronic ulcer of face with bone involvement without evidence of necrosis L98.468 Non-pressure chronic ulcer of face with other specified severity L98.469 Non-pressure chronic ulcer of face with unspecified severity

L98.4 Non-pressure chronic ulcer of skin, not elsewhere classified (continued)

L98.47 Non-pressure chronic ulcer of groin

L98.471 Non-pressure chronic ulcer of groin limited to breakdown of skin

L98.472 Non-pressure chronic ulcer of groin with fat layer exposed

L98.473 Non-pressure chronic ulcer of groin with necrosis of muscle

L98.474 Non-pressure chronic ulcer of groin with necrosis of bone

L98.475 Non-pressure chronic ulcer of groin with muscle involvement without evidence of necrosis

L98.476 Non-pressure chronic ulcer of groin with bone involvement without evidence of necrosis

L98.478 Non-pressure chronic ulcer of groin with other specified severity

L98.479 Non-pressure chronic ulcer of groin with unspecified severity

L98.A Non-pressure chronic ulcer of upper limb, not elsewhere classified

L98.A Non-pressure chronic ulcer of upper limb, not elsewhere classified

Chronic ulcer of upper limb NOS

Non-healing ulcer of upper limb

Ulcer of upper limb NEC

Excludes2: gangrene (196)

pressure ulcer (pressure area) (L89.-)

skin infections (L00-L08)

specific infections classified to A00-B99

ulcer of lower limb NEC (L97.-)

varicose ulcer (183.0-183.93)

L98.A Non-pressure chronic ulcer of upper limb, not elsewhere classified (continued)

L98.A1 Non-pressure chronic ulcer of upper arm

Non-pressure chronic ulcer of axilla

L98.A11 Non-pressure chronic ulcer of right upper arm

L98.A111 Non-pressure chronic ulcer of right upper arm limited to breakdown of skin

L98.A112 Non-pressure chronic ulcer of right upper arm with fat layer exposed

L98.A113 Non-pressure chronic ulcer of right upper arm with necrosis of muscle

L98.A114 Non-pressure chronic ulcer of right upper arm with necrosis of bone

L98.A115 Non-pressure chronic ulcer of right upper arm with muscle involvement without evidence of necrosis

L98.A116 Non-pressure chronic ulcer of right upper arm with bone involvement without evidence of necrosis

L98.A118 Non-pressure chronic ulcer of right upper arm with other specified severity

L98.A119 Non-pressure chronic ulcer of right upper arm with unspecified severity

L98.A12 Non-pressure chronic ulcer of left upper arm*

L98.A19 Non-pressure chronic ulcer of unspecified upper arm*

^{*}Specific codes for severity not included here but are available in the code set.

L98.A Non-pressure chronic ulcer of upper limb, not elsewhere classified (continued)

L98.A2 Non-pressure chronic ulcer of forearm

L98.A21 Non-pressure chronic ulcer of right forearm*

L98.A22 Non-pressure chronic ulcer of left forearm*

L98.A29 Non-pressure chronic ulcer of unspecified forearm*

L98.A3 Non-pressure chronic ulcer of hand

L98.A31 Non-pressure chronic ulcer of right hand*

L98.A32 Non-pressure chronic ulcer of left hand*

L98.A39 Non-pressure chronic ulcer of unspecified hand*

*Specific codes for severity not included here but are available in the code set.

I.C.13.a.2 Multiple sites

Codes describing specified sites are assigned individually by site when documented. When the specified site(s) are not documented, assign the appropriate code for "multiple sites."

M05 Rheumatoid arthritis with rheumatoid factor

M05.A Abnormal rheumatoid factor and anti-citrullinated protein antibody with rheumatoid arthritis

Code first rheumatoid arthritis with rheumatoid factor by site, if known (M05.00 to M05.8A)

M21.15 Varus deformity, not elsewhere classified, hip

M21.159 Varus deformity, not elsewhere classified, unspecified hip

M24.07 Loose body in ankle and toe joints

M24.076 Loose body in unspecified toe joint(s)

M61.12 Myositis ossificans progressiva, upper arm

M61.129 Myositis ossificans progressiva, unspecified upper arm

Chapter 14: Diseases of the genitourinary system (N00-N99)

N00 Acute nephritic syndrome

N00.5 Acute nephritic syndrome with diffuse mesangiocapillary glomerulonephritis

Acute nephritic syndrome with membranoproliferative glomerulonephritis, types 1 and 3, or NOS

N00.B Acute nephritic syndrome with immune complex membranoproliferative glomerulonephritis

N00.B1 Acute nephritic syndrome with idiopathic immune membranoproliferative glomerulonephritis (IC-MPGN)

N00.B2 Acute nephritic syndrome with secondary immune complex membranoproliferative glomerulonephritis (IC-MPGN)

Chapter 14: Diseases of the genitourinary system (N00-N99)

N04 Nephrotic syndrome

N04.5 Nephrotic syndrome with diffuse mesangiocapillary glomerulonephritis

Nephrotic syndrome with membranoproliferative glomerulonephritis, types 1 and 3, or NOS

- N04.B Nephrotic syndrome with immune complex membranoproliferative glomerulonephritis (IC-MPGN)
 - N04.B1 Nephrotic syndrome with idiopathic immune complex membranoproliferative glomerulonephritis (IC-MPGN)
 - N04.B2 Nephrotic syndrome with secondary immune complex membranoproliferative glomerulonephritis (IC-MPGN)

Chapter 14: Diseases of the genitourinary system (N00-N99)

N07 Hereditary nephropathy, not elsewhere classified

N07.B Hereditary nephropathy, not elsewhere classified with APOL1-mediated kidney disease [AMKD]

AMKD (with glomerulonephritis)

AMKD (with glomerulosclerosis)

Chapter 15: Pregnancy, childbirth and the puerperium (O00-O9A)

No added or deleted codes

No chapter specific guideline revisions

Some revisions to instructional notes

Chapter 16: Certain conditions originating in the perinatal period (P00-P96)

P09 Abnormal findings on neonatal screening

P09.6 Abnormal findings on neonatal hearing screening for neonatal hearing loss

Q75.0 Craniosynostosis

Q75.00 Craniosynostosis, unspecified

Q75.001 Craniosynostosis, unspecified type, unilateral

Q75.002 Craniosynostosis, unspecified type, bilateral

Q75.009 Craniosynostosis, unspecified

Q75.02 Coronal craniosynostosis

Non-deformational anterior plagiocephaly

Q75.021 Coronal craniosynostosis, unilateral

Q75.022 Coronal craniosynostosis, bilateral

Q75.029 Coronal craniosynostosis, unspecified

Q87.8 Other specified congenital malformation syndromes, not elsewhere classified

Q87.87 Hao-Fountain Syndrome

HAFOUS

Use Additional code, if applicable, for associated conditions such as:

autism spectrum disorder (F84.0)

developmental speech disorder (F80.-)

epilepsy, by specific type (G40.-)

intellectual disabilities (F70-F79)

pervasive developmental disorders (F84.-)

Q87.88 CTNNB1 syndrome

Use Additional code, if applicable, for associated conditions such as:

cerebral palsy (G80.-)

congenital heart malformations (Q20.0-Q24.9)

developmental disorder of speech and language (F80.-)

exudative retinopathy (H35.02-)

intellectual disability (F70-F79)

microcephaly (Q02)

Q89.8 Other specified congenital malformations

Use additional code(s) to identify all associated manifestations

Q89.81 Kabuki syndrome

Kabuki syndrome, type 1, due to KMT2D mutation Kabuki syndrome, type 2, due to KDM6A mutation Niikawa-Kuroki syndrome

Q89.89 Other specified congenital malformations

Q99.8 Other specified chromosome abnormalities

Q99.81 Usher syndrome

Use Additional code to identify any auditory and visual manifestations

Q99.811 Usher syndrome, type 1

Q99.812 Usher syndrome, type 2

Q99.813 Usher syndrome, type 3

Q99.818 Other Usher syndrome

Usher syndrome, type 4

Q99.819 Usher syndrome, unspecified

Q99.89 Other specified chromosome abnormalities

Genetic disorders, not elsewhere classified

QA0 Neurodevelopmental disorders related to specific genetic pathogenic variants

Code also, if applicable, any associated conditions, such as:

attention-deficit hyperactivity disorders (F90.-)

autism spectrum disorder (F84.0)

developmental and epileptic encephalopathy (G93.45)

epilepsy, by specific type (G40.-)

intellectual disabilities (F70-F79)

pervasive developmental disorders (F84.-)

QA0.0 Neurodevelopmental disorders related to pathogenic variants in specific genes

QA0.01 Neurodevelopmental disorders related to pathogenic variants in certain specific genes

QA0.010 Neurodevelopmental disorders, related to pathogenic variants in ion channel genes

QA0.0101 SCN2A-related neurodevelopmental disorder

QA0.0102 CACNA1A-related neurodevelopmental disorder

QA0.0109 Neurodevelopmental disorder related to pathogenic variant in other ion channel gene

SCN8A-related neurodevelopmental disorder

Genetic disorders, not elsewhere classified (continued)

- QA0.011 Neurodevelopmental disorders, related to pathogenic variants in glutamate receptor genes
- QA0.012 Neurodevelopmental disorders, related to pathogenic variants in other receptor genes
- QA0.013 Neurodevelopmental disorders, related to pathogenic variants in other transporter and solute carrier genes

QA0.0131 SLC6A1-related disorder

GABA transporter 1 deficiency

- QA0.0139 Neurodevelopmental disorder, related to pathogenic variant in other transporter or solute carrier gene
- QA0.014 Neurodevelopmental disorders, related to pathogenic variants in synapse related genes

QA0.0141 Syntaxin-binding protein 1-related disorder

STXBP1-related disorders

QA0.0142 DLG4-related synaptopathy

QA0.0149 Neurodevelopmental disorder, related to pathogenic variant in other synapse related gene

Other genetic synaptopathy

Genetic disorders, not elsewhere classified (continued)

QA0.015 Neurodevelopmental disorders, related to genes associated with transcription and gene expression

QA0.0151 FOXG1 syndrome

FOXG1-related disorder

FOXG1-related encephalopathy

FOXG1-related neurodevelopmental disorder

QA0.0159 Neurodevelopmental disorder, related to other genes associated with transcription and gene expression

QA0.8 Other neurodevelopmental disorders related to pathogenic variants in other specific genes

R10.2 Pelvic and perineal pain

Excludes2: pain localized to other parts of lower abdomen (R10.3-) pain localized to upper abdomen (R10.1-)

R10.20 Pelvic and perineal pain unspecified side

R10.21 Pelvic and perineal pain right side

R10.22 Pelvic and perineal pain left side

R10.23 Pelvic and perineal pain bilateral

R10.24 Suprapubic pain

R10.8 Other abdominal pain

R10.85 Abdominal pain of multiple sites

Excludes1: abdominal rigidity NOS (R19.3)

generalized abdominal pain associated with acute abdomen (R10.0)

generalized abdominal pain NOS (R10.84)

localized abdominal pain (R10.1-R10.4-)

R10.8A Flank tenderness

R10.8A1 Right flank tenderness

R10.8A2 Left flank tenderness

R10.8A3 Suprapubic tenderness

R10.8A9 Flank tenderness, unspecified

Flank tenderness NOS

R10.A Pain localized to flank

R10.A Pain localized to flank

Lateral abdomen pain

Lateral flank pain

Latus region pain

Excludes2: pain localized to other parts of lower abdomen (R10.3-)

pain localized to upper abdomen (R10.1-)

R10.A0 Flank pain, unspecified side

R10.A1 Flank pain, right side

R10.A2 Flank pain, left side

R10.A3 Flank pain, bilateral

R11.1 Vomiting

R11.16 Cannabis hyperemesis syndrome

```
Cannabinoid hyperemesis syndrome

Code also
```

electrolyte imbalance (E87.8)

cannabis abuse (F12.1-)
cannabis dependence (F12.2-)
cannabis use, unspecified (F12.92-, F12.93, F12.95-, F12.98-, F12.99)
manifestations, such as:
dehydration (E86.0)

R39.8 Other symptoms and signs involving the genitourinary system

R39.85 Costovertebral (angle) tenderness

Excludes2: abdominal and pelvic pain (R10.-)

R39.851 Costovertebral (angle) tenderness, right side

R39.852 Costovertebral (angle) tenderness, left side

R39.853 Costovertebral (angle) tenderness, bilateral

R39.859 Costovertebral (angle) tenderness, unspecified side

R76.8 Other specified abnormal immunological finding in serum

R76.81 Abnormal rheumatoid factor and anti-citrullinated protein antibody without rheumatoid arthritis

Abnormal anti-CCP

Abnormal anti-cyclic citrullinated protein antibody and rheumatoid factor

Excludes1: rheumatoid arthritis with rheumatoid factor (M05.-)

R76.89 Other specified abnormal immunological findings in serum

Raised level of immunoglobulins NOS

S30 Superficial injury of abdomen, lower back, pelvis and external genitals

S30.1 Contusion of abdominal wall

Contusion of flank

Contusion of groin

S30.11 Contusion of abdominal wall

S30.12 Contusion of groin

S30.13 Contusion of flank (latus) region

*These codes require placeholders and seventh characters.

S30 Superficial injury of abdomen, lower back, pelvis and external genitals (continued)

- S30.8 Other superficial injuries of abdomen, lower back, pelvis and external genitals
 - S30.81 Abrasion of abdomen, lower back, pelvis and external genitals

S30.81A Abrasion of flank

- S30.82 Blister (nonthermal) of abdomen, lower back, pelvis and external genitals S30.82A Blister (nonthermal) of flank
- S30.84 External constriction of abdomen, lower back, pelvis and external genitals S30.84A External constriction of flank
- S30.85 Superficial foreign body of abdomen, lower back, pelvis and external genitals S30.85A Superficial foreign body of flank
- S30.86 Insect bite (nonvenomous) of abdomen, lower back, pelvis and external genitals S30.86A Insect bite (nonvenomous) of flank
- S30.87 Other superficial bite of abdomen, lower back, pelvis and external genitals S30.87A Other superficial bite of flank
- S30.9 Unspecified superficial injury of abdomen, lower back, pelvis and external genitals S30.9A Unspecified superficial injury of flank

^{*}These codes require seventh characters.

S31.1 Open wound of abdominal wall without penetration into peritoneal cavity

- S31.10 Unspecified open wound of abdominal wall without penetration into peritoneal cavity
 - S31.106 Unspecified open wound of abdominal wall, right flank without penetration into peritoneal cavity
 - S31.107 Unspecified open wound of abdominal wall, left flank without penetration into peritoneal cavity
 - S31.10A Unspecified open wound of abdominal wall, unspecified flank without penetration into peritoneal cavity

Open wound of abdominal wall of flank NOS without penetration into peritoneal cavity

^{*}These codes require seventh characters.

S31.1 Open wound of abdominal wall without penetration into peritoneal cavity (continued)

- S31.11 Laceration without foreign body of abdominal wall without penetration into peritoneal cavity
 - S31.116 Laceration without foreign body of abdominal wall, right flank without penetration into peritoneal cavity
 - S31.117 Laceration without foreign body of abdominal wall, left flank without penetration into peritoneal cavity
 - S31.11A Laceration without foreign body of abdominal wall, unspecified flank without penetration into peritoneal cavity

Laceration without foreign body of flank NOS without penetration into peritoneal cavity

^{*}These codes require seventh characters.

S31.1 Open wound of abdominal wall without penetration into peritoneal cavity (continued)

- S31.12 Laceration with foreign body of abdominal wall without penetration into peritoneal cavity
 - S31.126 Laceration with foreign body of abdominal wall, right flank without penetration into peritoneal cavity
 - S31.127 Laceration with foreign body of abdominal wall, left flank without penetration into peritoneal cavity
 - S31.12A Laceration with foreign body of abdominal wall unspecified flank without penetration into peritoneal cavity

Laceration with foreign body of abdominal wall of flank NOS without penetration into peritoneal cavity

^{*}These codes require seventh characters.

S31.1 Open wound of abdominal wall without penetration into peritoneal cavity (continued)

- S31.13 Puncture wound of abdominal wall without foreign body without penetration into peritoneal cavity
 - S31.136 Puncture wound of abdominal wall without foreign body, right flank without penetration into peritoneal cavity
 - S31.137 Puncture wound of abdominal wall without foreign body, left flank without penetration into peritoneal cavity
 - S31.13A Puncture wound of abdominal wall without foreign body, unspecified flank without penetration into peritoneal cavity

Puncture wound of abdominal wall of flank NOS without foreign body

^{*}These codes require seventh characters.

S31.1 Open wound of abdominal wall without penetration into peritoneal cavity (continued)

- S31.14 Puncture wound of abdominal wall with foreign body without penetration into peritoneal cavity
 - S31.146 Puncture wound of abdominal wall with foreign body, right flank without penetration into peritoneal cavity
 - S31.147 Puncture wound of abdominal wall with foreign body, left flank without penetration into peritoneal cavity
 - S31.14A Puncture wound of abdominal wall with foreign body, unspecified flank without penetration into peritoneal cavity

Puncture wound of abdominal wall with foreign body of flank NOS without penetration into peritoneal cavity

^{*}These codes require seventh characters.

S31.1 Open wound of abdominal wall without penetration into peritoneal cavity (continued)

S31.15 Open bite of abdominal wall without penetration into peritoneal cavity

- S31.156 Open bite of abdominal wall, right flank without penetration into peritoneal cavity
- S31.157 Open bite of abdominal wall, left flank without penetration into peritoneal cavity
- S31.15A Open bite of abdominal wall, unspecified flank without penetration into peritoneal cavity

Open bite of abdominal wall of flank NOS without penetration into peritoneal cavity

^{*}These codes require seventh characters.

S31.6 Open wound of abdominal wall with penetration into peritoneal cavity

- S31.60 Unspecified open wound of abdominal wall with penetration into peritoneal cavity
 - S31.606 Unspecified open wound of abdominal wall, right flank with penetration into peritoneal cavity
 - S31.607 Unspecified open wound of abdominal wall, left flank with penetration into peritoneal cavity
 - S31.60A Unspecified open wound of abdominal wall, unspecified flank with penetration into peritoneal cavity

Unspecified open wound of abdominal wall of flank NOS, with penetration into peritoneal cavity

^{*}These codes require seventh characters.

S31.6 Open wound of abdominal wall with penetration into peritoneal cavity (continued)

- S31.61 Laceration without foreign body of abdominal wall with penetration into peritoneal cavity
 - S31.616 Laceration without foreign body of abdominal wall, right flank with penetration into peritoneal cavity
 - S31.617 Laceration without foreign body of abdominal wall, left flank with penetration into peritoneal cavity
 - S31.61A Laceration without foreign body of abdominal wall, unspecified flank with penetration into peritoneal cavity

Laceration without foreign body of abdominal wall of flank NOS, with penetration into peritoneal cavity

^{*}These codes require seventh characters.

S31.6 Open wound of abdominal wall with penetration into peritoneal cavity (continued)

- S31.62 Laceration with foreign body of abdominal wall with penetration into peritoneal cavity
 - S31.626 Laceration with foreign body of abdominal wall, right flank with penetration into peritoneal cavity
 - S31.627 Laceration with foreign body of abdominal wall, left flank with penetration into peritoneal cavity
 - S31.62A Laceration with foreign body of abdominal wall, unspecified flank with penetration into peritoneal cavity

Laceration with foreign body of abdominal wall, flank NOS, with penetration into peritoneal cavity

^{*}These codes require seventh characters.

S31.6 Open wound of abdominal wall with penetration into peritoneal cavity (continued)

- S31.63 Puncture wound without foreign body of abdominal wall with penetration into peritoneal cavity
 - S31.636 Puncture wound of abdominal wall without foreign body, right flank with penetration into peritoneal cavity
 - S31.637 Puncture wound of abdominal wall without foreign body, left flank with penetration into peritoneal cavity
 - S31.63A Puncture wound of abdominal wall without foreign body, unspecified flank with penetration into peritoneal cavity

Puncture wound of abdominal wall without foreign body, flank NOS, with penetration into peritoneal cavity

^{*}These codes require seventh characters.

S31.6 Open wound of abdominal wall with penetration into peritoneal cavity (continued)

S31.64 Puncture wound with foreign body of abdominal wall with penetration into peritoneal cavity

- S31.646 Puncture wound of abdominal wall with foreign body, right flank with penetration into peritoneal cavity
- S31.647 Puncture wound of abdominal wall with foreign body, left flank with penetration into peritoneal cavity

WWW.CROSSROADSHEALTHRESOURCES.COM

S31.64A Puncture wound of abdominal wall with foreign body, unspecified flank with penetration into peritoneal cavity

Puncture wound of abdominal wall with foreign body, flank NOS, with penetration into peritoneal cavity

^{*}These codes require seventh characters.

S31.6 Open wound of abdominal wall with penetration into peritoneal cavity (continued)

S31.65 Open bite of abdominal wall with penetration into peritoneal cavity

S31.656 Open bite of abdominal wall, right flank with penetration into peritoneal cavity

S31.657 Open bite of abdominal wall, left flank with penetration into peritoneal cavity

S31.65A Open bite of abdominal wall, unspecified flank with penetration into peritoneal cavity

Open bite of abdominal wall, flank NOS, with penetration into peritoneal cavity

^{*}These codes require seventh characters.

S62 Fracture at wrist and hand level

S62.9 Unspecified fracture of wrist and hand

S62.90 Unspecified fracture of unspecified wrist and hand

S62.91 Unspecified fracture of right wrist and hand

S62.92 Unspecified fracture of left wrist and hand

^{*}These codes require placeholders and seventh characters.

S74.2 Injury of cutaneous sensory nerve at hip and thigh level

S74.21 Injury of cutaneous sensory nerve at hip and thigh level, right leg

*This code requires a placeholder and a seventh character.

T36 Poisoning by, adverse effect of and underdosing of systemic antibiotics

T36.A Poisoning by, adverse effect of and underdosing of fluoroquinolone antibiotics

T36.AX Poisoning by, adverse effect of and underdosing of fluoroquinolone antibiotics

T36.AX1 Poisoning by fluoroquinolone antibiotics, accidental (unintentional)

Poisoning by fluoroquinolone antibiotics NOS

T36.AX2 Poisoning by fluoroquinolone antibiotics, intentional self-harm

T36.AX3 Poisoning by fluoroquinolone antibiotics, assault

T36.AX4 Poisoning by fluoroquinolone antibiotics, undetermined

T36.AX5 Adverse effect of fluoroquinolone antibiotics

T36.AX6 Underdosing of fluoroquinolone antibiotics

^{*}These codes require seventh characters.

T65.8 Toxic effect of other specified substances

T65.84 Toxic effect of xylazine

Use Additional code(s) for all associated manifestations, such as:

cellulitis and acute lymphangitis (L03.-)

cutaneous abscess, furuncle and carbuncle (LO2.-)

non-pressure chronic ulcer of lower limb, not elsewhere classified (L97.-)

non-pressure chronic ulcer of skin, not elsewhere classified (L98.4-)

T65.841 Toxic effect of xylazine, accidental (unintentional)

Toxic effect of xylazine NOS

T65.842 Toxic effect of xylazine, intentional self-harm

T65.843 Toxic effect of xylazine, assault

T65.844 Toxic effect of xylazine, undetermined

*These codes require seventh characters.

T75.8 Other specified effects of external causes

T75.83 Effects of war theater

Use Additional code to identify associated manifestations

T75.830 Gulf war illness

Gulf war syndrome

T75.838 Effects of other war theater

*These codes require seventh characters.

T78.0 Anaphylactic reaction due to food

T78.07 Anaphylactic reaction due to milk and dairy products

T78.070 Anaphylactic reaction due to milk and dairy products with tolerance to baked milk

Excludes1: Anaphylactic reaction due to milk and dairy products with reactivity to baked milk (T78.071)

T78.071 Anaphylactic reaction due to milk and dairy products with reactivity to baked milk

Excludes1: Anaphylactic reaction due to milk and dairy products with tolerance to baked milk (T78.070)

T78.079 Anaphylactic reaction due to milk and dairy products, unspecified

T78.08 Anaphylactic reaction due to eggs

T78.080 Anaphylactic reaction due to egg with tolerance to baked egg

Excludes1: Anaphylactic reaction due to egg with reactivity to baked egg(T78.081)

T78.081 Anaphylactic reaction due to egg with reactivity to baked egg

Excludes1: Anaphylactic reaction due to egg with tolerance to baked egg(T78.080)

T78.089 Anaphylactic reaction due to eggs, unspecified

*These codes require seventh characters.

T78.1 Other adverse food reactions, not elsewhere classified

- T78.11 Other adverse food reactions due to milk and dairy products
 - **T78.110 Other adverse food reactions due to milk and dairy products with tolerance to baked milk Excludes1**: Other adverse food reaction due to milk and dairy products with reactivity to baked milk (T78.111)
 - **T78.111 Other adverse food reaction due to milk and dairy products with reactivity to baked milk Excludes1**: Other adverse food reaction due to milk and dairy products with tolerance to baked milk (T78.110)
 - T78.119 Other adverse food reaction due to milk and dairy products with baked milk tolerance/reactivity, unspecified
- T78.12 Other adverse food reaction due to eggs
 - T78.120 Other adverse food reaction due to egg with tolerance to baked egg

 Excludes1: Other adverse food reaction due to egg with reactivity to baked egg(T78.121)
 - **T78.121 Other adverse food reaction due to egg with reactivity to baked egg Excludes1**: Other adverse food reaction due to egg with tolerance to baked egg(T78.120)
 - T78.129 Other adverse food reaction due to egg with baked egg tolerance/reactivity, unspecified
- T78.19 Other adverse food reactions, not elsewhere classified
- *These codes require seventh characters.

W44.H Other sharp object entering into or through a natural orifice

W44.H9 Other sharp object entering into or through a natural orifice

Shard pottery entering into or through a natural orifice

*These codes require placeholders and seventh characters.

W45 Foreign body or object entering through skin

W45.3 Fishing hook entering through skin

*These codes require placeholders and seventh characters.

Y07.43 Stepparent or stepsibling, perpetrator of maltreatment and neglect

Y07.435 Stepbrother, perpetrator of or maltreatment and neglect

Y36 Operations of war

Y36.A Blast overpressure in war operations

Code also type of explosive, if known

accidental detonation of onboard munitions (Y36.140)

explosion of grenade (Y36.290)

explosion of torpedo (Y36.040)

improvised explosive device (Y36.230)

Y36.A1 Low level blast overpressure in war operations

LLB overpressure in war operations

Low level blast overpressure due to explosion in war operations

Y36.A2 High level blast overpressure in war operations

High level blast overpressure due to explosion in war operations

HLB overpressure in war operations

*These codes require placeholders and seventh characters.

Y37 Military operations

Y37.A Blast overpressure in military operations

Code also type of explosive, if known

accidental detonation of onboard munitions (Y37.140)

explosion of grenade (Y37.290)

explosion of torpedo (Y37.040)

improvised explosive device (Y37.230)

Y37.A1 Low level blast overpressure in military operations

LLB overpressure in military operations

Low level blast overpressure due to explosion in military operations

Y37.A2 High level blast overpressure in military operations

High level blast overpressure due to explosion in military operations HLB overpressure in military operations

*These codes require placeholders and seventh characters.

Y93 Activity codes

Y93.L Other outdoor activity

Y93.L1 Activity, splitting wood

Y93.L9 Activity, other outdoor activity

I.C.21.c.3 Status

*The following isn't the complete guideline, but only areas of revision.

Z15 Genetic susceptibility to disease

Genetic susceptibility indicates that a person has a gene that increases the risk of that person developing the disease.

Codes from category Z15 should generally not be used as principal or first-listed codes. If the patient has the condition to which he/she is susceptible, and that condition is the reason for the encounter, the code for the current condition should be sequenced first. If the patient is being seen for follow-up after completed treatment for this condition, and the condition no longer exists, a follow-up code should be sequenced first, followed by the appropriate personal history and genetic susceptibility codes. If the purpose of the encounter is genetic counseling associated with procreative management, code Z31.5, Encounter for genetic counseling, should be assigned as the first-listed code, followed by a code from category Z15. Additional codes should be assigned for any applicable family or personal history.

Z16 Resistance to antimicrobial drugs

This category indicates that a patient has a condition that is resistant to antimicrobial drug treatment. Sequence the infection code first.

I.C.21.c.3 Status (continued)

*The following isn't the complete guideline, but only areas of revision.

Z68 Body mass index (BMI)

BMI codes should only be assigned when there is an associated, reportable diagnosis (such as obesity or anorexia) documented by the patient's provider.

Do not assign BMI codes during pregnancy. When the documentation reflects fluctuating BMI values during the

current encounter for an associated reportable condition, assign a code for the most severe value.

I.C.21.c.7 Aftercare

*The following isn't the complete guideline, but only areas of revision.

The aftercare codes are generally found in the following categories:

- Z42 Encounter for plastic and reconstructive surgery following medical procedure or healed injury
- Z43 Encounter for attention to artificial openings
- Z44 Encounter for fitting and adjustment of external prosthetic device
- Z45 Encounter for adjustment and management of implanted device
- Z46 Encounter for fitting and adjustment of other devices
- Z47 Orthopedic aftercare
- Z48 Encounter for other postprocedural aftercare
- Z49 Encounter for care involving renal dialysis
- Z51 Encounter for other aftercare and medical care

I.C.21.c.13 Miscellaneous Z Codes

*The following isn't the complete guideline, but only areas of revision.

Prophylactic Organ Removal

For encounters specifically for prophylactic removal of an organ (such as prophylactic removal of breasts due to a genetic susceptibility to cancer or a family history of cancer), the principal or first-listed code should be a code from subcategory Z40.0, Encounter for prophylactic surgery for risk factors related to malignant neoplasms, or subcategory Z40.8, Encounter for other prophylactic surgery. If applicable, assign additional code(s) to identify any associated risk factor (such as genetic susceptibility or family history).

If the patient has a malignancy of one site and is having prophylactic removal at another site to prevent either a new primary malignancy or metastatic disease, a code for the malignancy should also be assigned in addition to a code from subcategory Z40.0, Encounter for prophylactic surgery for risk factors related to malignant neoplasms. A Z40.0 code should not be assigned if the patient is having organ removal for treatment of a malignancy, such as the removal of the testes for the treatment of prostate cancer.

I.C.21.c.17 Social Determinants of Health

Social determinants of health (SDOH) codes describing social problems, conditions, or risk factors that influence a patient's health should be assigned when this information is documented in the patient's medical record. Assign as many SDOH codes as are necessary to describe all of the social problems, conditions, or risk factors documented during the current episode of care. For example, a patient who lives alone may suffer an acute injury temporarily impacting their ability to perform routine activities of daily living. When documented as such, this would support assignment of code Z60.2, Problems related to living alone. However, merely living alone, without documentation of a risk or unmet need for assistance at home, would not support assignment of code Z60.2. Documentation by a clinician (or patientreported information that is signed off by a clinician) that the patient expressed concerns with access and availability of food would support assignment of code Z59.41, Food insecurity. Similarly, medical record documentation indicating the patient is experiencing homelessness would support assignment of a code from subcategory Z59.0-, Homelessness...

Z15 Genetic susceptibility to disease

Z15.0 Genetic susceptibility to malignant neoplasm

Z15.05 Genetic susceptibility to malignant neoplasm of fallopian tube(s)

Z15.06 Genetic susceptibility to malignant neoplasm of digestive system

Z15.060 Genetic susceptibility to colorectal cancer

Z15.068 Genetic susceptibility to other malignant neoplasm of digestive system

Genetic susceptibility to biliary tract cancer

Genetic susceptibility to gastric cancer

Genetic susceptibility to pancreatic cancer

Genetic susceptibility to small bowel cancer

Z15.07 Genetic susceptibility to malignant neoplasm of urinary tract

Z15.3 Genetic susceptibility to kidney disease

Code also, if applicable, hypertension (I10-I1A)

Z40.8 Encounter for other prophylactic surgery

Z40.81 Encounter for prophylactic surgery for removal of ovary(s) for persons without known genetic/familial risk factors

Encounter for prophylactic oophorectomy for persons without known genetic/ familial risk factors

Z40.82 Encounter for prophylactic surgery for removal of fallopian tube(s) for persons without known genetic/familial risk factors

Encounter for prophylactic salpingectomy for persons without known genetic/familial risk factors Opportunistic salpingectomy

Z40.89 Encounter for other prophylactic surgery

Z59.86 Financial insecurity

Z59.861 Financial insecurity, difficulty paying for utilities

Difficulty paying for electricity

Difficulty paying for heat

Difficulty paying for oil

Difficulty paying water bill

Utility disconnect notice due to inability to pay

Excludes2: inadequate housing utilities (Z59.12)

Z59.868 Other specified financial insecurity

Bankruptcy

Z59.869 Financial insecurity, unspecified

Z77 Other contact with and (suspected) exposures hazardous to health

- **Z77.3** Contact with and (suspected) exposure to war theater
 - **Z77.31 Contact with and (suspected) exposure to Gulf War theater**Contact with and (suspected) exposure to Persian Gulf War theater
 - **Z77.39 Contact with and (suspected) exposure to other war theater**Agent Orange exposure

Z80.4 Family history of malignant neoplasm of genital organs

Z80.44 Family history of malignant neoplasm of fallopian tube(s)

Z83.71 Family history of colonic polyps

Z83.718 Other Family history of other colon polyps

Z84 Family history of other conditions

Z84.1 Family history of disorders of kidney and ureter

Z84.11 Family history of APOL1-mediated kidney disease [AMKD]

Z84.19 Family history of other disorders of kidney and ureter

Z84.A Family history of exposure to diethylstilbestrol

DES granddaughter or grandson Family history of DES exposure Third generation DES exposure

Z85.4 Personal history of malignant neoplasm of genital organs

Z85.4A Personal history of malignant neoplasm of fallopian tube(s)

Z86.00 Personal history of in-situ neoplasm

Z86.00A Personal history of in-situ neoplasm of the fallopian tube(s)

Z91 Personal risk factors, not elsewhere classified

Z91.0 Allergy status, other than to drugs and biological substances

Z91.01 Food allergy status

Z91.011 Allergy to milk products

Z91.0110 Allergy to milk products, unspecified

Z91.0111 Allergy to milk products with tolerance to baked milk

Excludes1: Allergy to milk products with reactivity to baked milk(Z91.0112)

Z91.0112 Allergy to milk products with reactivity to baked milk

Excludes1: Allergy to milk products with tolerance to baked milk(Z91.0111)

Z91.012 Allergy to eggs

Z91.0120 Allergy to eggs, unspecified

Z91.0121 Allergy to eggs with tolerance to baked egg

Excludes1: Allergy to eggs with reactivity to baked egg (Z91.0122)

Z91.0122 Allergy to eggs with reactivity to baked egg

Excludes1: Allergy to egg with tolerance to baked egg (Z91.0121)

Z91 Personal risk factors, not elsewhere classified (continued)

Z91.B Personal risk factor of exposure to diethylstilbestrol

DES daughter or son

Personal risk factor of exposure to DES

Personal risk factor of exposure to DES in utero

Second generation DES exposure

Code also, associated conditions, such as:

conditions classifiable to C50.-

osteoporosis (M80.-)

premature menopause (E28.31-)

Chapter 22: Codes for special purposes (U00-U85)

No added or deleted codes

No chapter specific guideline revisions

Some revisions to instructional notes

Questions

Brenda Edwards

CPC, CDEO, CPB, CPMA, CPC-I, CEMC, CPMS, CMRS, CMCS CEMA, CPA-RA, CPA-EDU

bredwards&crossroadshealthresources.com

Credit to Cathy Jennings, CPC, CRC, CEDC, CHONC, AAPC Approved Instructor cjennings32kumc.edu